






each side

#### **HOW TO STRETCH**










It is better to have many small breaks to stretch your body than one single long break.



- Stretch slowly.
- Breathe normally.
- You should feel a gentle stretch in the muscles.
- Stop if you feel a sharp pain, it is a sign that you have stretched too much.
- The stretch sensation should begin to disappear after 10 to 15 seconds.
- Hold each stretch for at least 60 seconds, or until you feel the muscle relax.
- Stretch only as far as is comfortable.
   Stop if you have a painful burning feeling.
- Repeat each stretch 1-2 times.
- Whenever you stretch one side, always do the same stretch on the other side.
- Avoid bouncing or jerky movements during stretching. Hold the stretch.
- Relax your mind and the rest of your body as much as you can.
- Enjoy the stretches.

The benefits of stretching happen over time.




### WARNING

If you feel sharp pain, shooting pain or numbness when doing any of these stretches stop immediately.


If you sit or bend forward for long periods of time, try these stretches:










If you twist and stand for long period of time, try these stretches:








## If you bend or twist your neck for long period of time, try these stretches:





- 1- Touch the base of your neck with one hand.
- 2- Bend head forward and slightly to the other side until the stretch point is felt.
- 3- If the stretch point is not felt, reach up behind the head and gently pull the head downward until the stretch point is felt.







If you move your wrist and hand over and over again for a long period of time, try these stretches.










# If you use your forearms or if you grip something by pinch or use your fingers over and over again, try these stretches:




## If you have to raise your arms in front or to the sides over and over again, try these stretches:









If you're in position where you shrug your shoulders or move your arms, try these stretches:









If you have to crouch or kneel for long periods of time, try these stetches:









44

Content: Salvador Sáenz, Amy K. Liebman and Giulia Earle-Richardson Artwork and Design: Salvador Sáenz Color: Uriel E. Sáenz



MIGRANT CLINICIANS NETWORK

Northeast Center for Occupational Health and Safety
Agriculture ● Forestry ● Fishing
Cooperstown, NY 13326
Phone: 800.343.7527
www.nycamh.org

Migrant Clinicians Network P.O. Box 164285 Austin, TX 78716 (512) 327-2017 www.migrantclinician.org

